# Shades of Seattle Mill Creek Site Trip Report Mill Creek, Washington

TDD: 99-09-0007

Contract: 68-W6-0008 August 2000

### Region 10 START

Superfund Technical Assessment and Response Team

Submitted to: Jeff Rodin, On-Scene Coordinator
U.S. Environmental Protection Agency
1200 Sixth Avenue
Seattle, WA 98101



ecology and environment, inc.

International Specialists in the Environment

1500 Wells Fargo Center , 999 Third Avenue , Seattle , Washington 98104 Tel: (206) 624-9537 , Fax: (206) 621-9832

152874



### TRIP REPORT

DATE:

August 31, 2000

TO:

Jeff Rodin, On-Scene Coordinator, EPA, Seattle, WA

FROM:

David Byers, Project Manager, E & E, Seattle, WA

SUBJ:

Shades of Seattle Paint Company, Mill Creek Site, Trip Report

REF:

Contract No.:

68-W6-0008

TDD No .:

99-09-0007

### Place Visited:

17818 Highway 527 (Bothell-Everett Highway; Latitude 47° 50' 9.37" North, Longitude 122° 12' 39.6" West), Mill Creek, King County, Washington.

### Purpose of Trip:

Investigate the report of abandoned paint-related wastes located by a self-serve car wash facility near Mill Creek, Washington. The investigation consisted of evaluating and recording conditions at the site through photographic documentation, sample collection, and hazard categorization. After evaluating and recording conditions at the site, the Superfund Technical Assessment and Response Team (START) was tasked to provide for minor containment, transportation, and disposal of the paint-related wastes.

### Persons Responding:

David Byers - Project Manager Alan Jensen - Site Safety Officer Ecology & Environment, Inc.

Seattle, Washington

Jason Potts Glen Thurnstrom Mark Gregory Foss Environmental Seattle, Washington

Mike Szerlog - On-Scene Coordinator **United States Environmental Protection** Agency Seattle, Washington

### Date(s) of Trip:

September 10, 1999

### BACKGROUND

In September 1999, the Region 10 United States Environmental Protection Agency (EPA), tasked Ecology & Environment, Inc. (E & E) under the START contract (68-W6-0008) Technical Direction Document (TDD) Number 99-09-0007 to conduct a removal assessment and provide minor containment of abandoned containers of potentially hazardous materials at the Shades of Seattle, Mill Creek site located near Mill Creek, Washington. The EPA On-Scene Coordinator (OSC) notified the START that an unknown person (or persons) had dumped approximately fifty 5-gallon containers of paint-related waste down a hill west of a self-service car wash facility located at 17818 Bothell-Everett Highway. The car wash facility manager found the containers and staged them at the south end of his property.

### START ACTIONS

Two START members arrived at the scene at 1700 hours on September 10, 1999. Prior to the START arriving at the site, the containers were staged at the south end of the car wash facility by the manager of the facility. The containers found at the site included fifty-three 5-gallon metal cans, five 2.5-gallon plastic containers, and two 5-gallon plastic buckets. It appeared from initial observations that most of the containers had liquid contents and an intact lid, except the two 5-gallon plastic buckets. A number of abandonments of paint-related wastes have occurred in other parts of Seattle and Washington State. The paint-related wastes were generally Rodda-brand products with strips of masking tape covering the containers. The START confirmed that many of the 5-gallon containers at the Mill Creek site were labeled Rodda-brand lacquer thinner and most of the containers had strips of masking tape around their circumference (See Photos 5 through 11 in Attachment A). The OSC tasked the START to thoroughly document the site through photographs, assess the potential for release of waste to the environment, secure the containers, and arrange for proper disposal of the containers' contents. Photographs of the response activities are provided in Attachment A.

After conducting a health and safety meeting, the START inventoried, marked, and recorded the condition of the containers on site. Based on the inventory of the containers, the START estimated that approximately 230 gallons of paint-related waste was at the site. An inventory of the containers recovered at the site is provided Attached B.

After documenting the condition of the site, 10 containers were randomly selected for the START to sample for Pensky-Martens flashpoint analysis. Nine of the ten containers sampled by the START were 5-gallon metal containers each filled with a colored liquid. The START also sampled a 2.5-gallon plastic container which also was full of a colored liquid. The samples were then placed on ice

until Pensky-Martens flashpoint analysis could be performed on them. On September 14, 1999, the START tested the 10 samples collected at the site for flashpoint per ASTM Standard Method D-93. The results of these tests are provided in Attachment C. The results of the 10 samples indicated that the containers abandoned at the Mill Creek site contained characteristic ignitability criteria hazardous waste as determined by their flashpoints being less than 140 degrees Fahrenheit [40 CFR 261.21 (a)(1)].

At 1900 hours on September 10, 1999, Foss Environmental, subcontracted by the START, arrived on site and began preparing to transport the paint-related waste off site for proper disposal. Foss Environmental began transferring the contents of containers into a 55-gallon poly drum while the START monitored the air for volatile organic compounds (VOCs). After partially filling the poly drum with paint-related waste, the START noticed that the secondary containment also was filling with the waste indicating there was a hole in the drum. Foss Environmental placed the leaking drum into an 85-gallon overpack drum and resumed transferring the waste into the drum. A 55-gallon steel bung-top drum also was filled with paint-related waste. Containers that could not be legally transported because of their physical condition were overpacked into three 85-gallon overpacks and two 55-gallon ring-top drums. Investigation derived waste was bagged and placed into a 55-gallon drum. Empty containers also were transported off site and would be profiled as liquid waste since they contained residue.

While Foss Environmental was preparing to transport the paint-related waste off site, the START performed air monitoring using a Foxboro Instruments TVA 1000 combination flame-ionization/photo-ionization detector in the area where the containers were originally abandoned. Readings elevated above background were detected indicating that some of the solvent had been released to the environment. While investigating the original dump site, the START found an additional container and recovered it.

By 0030 hours on September 11, 1999, all of the containers abandoned at the Mill Creek site and the investigation derived waste had been drummed and transported off site. The hazardous waste manifest for the materials transported off site is provided as Attachment D.

### **CONCLUSIONS:**

On September 10, 1999, the START responded to a report of abandoned containers located at a self-service car wash facility near Mill Creek, Washington. The START recovered, inventoried, and arranged for the off-site transport and disposal of approximately 230 gallons of paint-related waste. Based on air monitoring at the dump site, it would appear that some product may have been released to the environment; however, the released material is not recoverable. A START chemist performed Pensky-Martens Closed Cup flashpoint analysis on samples from 10 of the containers and determined

that all of the samples exhibited flammable characteristics as defined by the Resource Conservation and Recovery Act. All of the containers at the site were transported and disposed of off site by Foss Environmental. No further effort is anticipated under this TDD.

### ATTACHMENT A

PHOTOGRAPHIC DOCUMENTATION

Camera Serial #:

TDD #: 99-09-0007

Lens Type: 35 mm

Site Name: Shades of Seattle

Mill Creek Site

Photo	Date	Ву	Description
1	9/10/99	DB	Self-serve car wash facility overview, facing southwest.
2	2 9/10/99 DB		Looking west at containers at the staging area.
3	3 9/10/99 DB		Looking south at the containers in the staging area.
4	9/10/99	DB	Same as Photo 3.
5	9/10/99	DB	View of 5-gallon metal container, note that the label has the name "Rodda" on it and a flammable label.
6	9/10/99	DB	Another view of the 5-gallon metal containers, note the masking tape on the containers.
7	9/10/99	DB	Another view of 5-gallon metal containers and 2.5-gallon plastic containers. Note that the 2.5-gallon container of paint thinner on the right side of photo does not have a lid.
8	9/10/99	DB	Same as Photo 7.
9	9/10/99	DB	More 5-gallon metal and 2.5-gallon plastic containers.
10	9/10/99	DB	Same as Photo 9.
11	9/10/99	DB	Same as Photo 9.
12	9/10/99	DB	Same as Photo 9.
13	9/10/99	DB	Same as Photo 9.
14	9/10/99	DB	Product Sample 1 collected from a 5-gallon metal container labeled "Dirty Laquer."
15	9/10/99	DB	Closer view of Sample 1 shown in Photo 14.
16	9/10/99	DB	Product Sample 2 collected from a 2.5-gallon plastic container labeled "Paint Thinner."
17	9/10/99	DB	Same as Photo 16.
18	9/10/99	DB	Product Sample 3 collected from an unlabeled 5-gallon metal container.
19	9/10/99	DB	Same as Photo 18, note the flammable label.

Camera Serial #:

TDD #: 99-09-0007

Lens Type: 35 mm

Site Name: Shades of Seattle

Mill Creek Site

Photo	Date	Ву	Description			
20	9/10/99	DB	The START conducting air monitoring.			
21	9/10/99	DB	The local media preparing to investigate the activities at the site.			
22 9/10/99 DB		22 9/10/99 DB Product Sample 4 collected from a 5-gallon metal containing a flammable liquid.				
23	9/10/99	DB	Same as Photo 22.			
24	9/10/99	DB	The EPA OSC being interviewed by the local media.			
25	9/10/99	DB	Same as Photo 24.			
26	9/10/99	DB	Product Sample 5 collected from a 5-gallon metal container labeled as containing a flammable liquid.			
27	9/10/99	DB	Same as Photo 26.			
28	28 9/10/99 DB		9/10/99 DB Product Sample 6 collected from a 5-gallon metal container laber containing a flammable liquid.			
29	9/10/99	DB	Same as Photo 28.			
30	9/10/99	DB	Product Sample 7 collected from a 5-gallon metal container labeled as containing a flammable liquid.			
31	9/10/99	DB	Same as Photo 30.			
32	9/10/99	DB	Product Sample 8 collected from a 5-gallon metal container labeled as containing a flammable liquid.			
33	9/10/99	DB	Same as Photo 32.			
34	9/10/99	DB	Product Sample 9 collected from a 5-gallon metal container labeled as containing a flammable liquid.			
35	9/10/99	DB	Same as Photo 34.			
36	9/10/99	DB	Product Sample 10 collected from a 5-gallon metal container labeled as containing a flammable liquid.			

Camera Serial #:

TDD #: 99-09-0007

Lens Type: 35 mm

Site Name: Shades of Seattle

Mill Creek Site

Photo	Date	Ву	Description
37	9/10/99	DB	Same as Photo 36.
38	9/10/99	DB	Foss Environmental preparing to over-pack paint-related waste into 55-gallon drums.
39	9/10/99	DB	Foss Environmental transferring flammable liquids into larger vessel for disposal.
40	9/10/99	DB	The START monitoring for volatile organic compounds as Foss Environmental transfers flammable liquids into larger vessel.
41	9/10/99	DB	Foss Environmental has upgraded to Level C PPE to complete the transfer of flammable liquids for disposal.
42	9/10/99	DB	Foss Environmental checking the liquid level in the first container.
43	9/10/99	DB	Foss Environmental continuing transfer operations.
44	9/10/99	DB	Same as Photo 43.
45	9/10/99	DB	Same as Photo 43.
46	9/10/99	DB	Same as Photo 43.
47	9/10/99	DB	Same as Photo 43.
48	9/10/99	DB	The START collecting the Global Positioning information from the original dump site.
49	9/10/99	DB	Foss Environmental continuing transfer operations.
50	9/10/99	DB	Same as Photo 49.
51	9/10/99	DB	A 5-gallon metal container with what appears to be white paint covering the top of the can and the word "Dirty" written on the masking tape on the can.
52	9/10/99	DB	A 5-gallon metal can of lacquer thinner manufactured by Rodda with masking tape on the can.

Camera Serial #:

TDD #: 99-09-0007

Lens Type: 35 mm


Site Name: Shades of Seattle

Mill Creek Site


Photo	Date	By	Description
53	9/10/99	DB	Foss Environmental lading up the recently transferred paint-related waste for transport.
54	9/10/99	DB	A storm drain in the parking lot of the self-service car wash facility.
55	9/10/99	DB	The staging area with all of the containers removed.
56	9/10/99	DB	A closer view of the staging area with the containers removed. Note the stained areas on the grass and the strained vegetation.
57	9/10/99	DB	Another view of the staging area with the containers removed.
58	9/10/99	DB	Foss Environmental placarding their truck for transporting flammable liquids.
59	9/10/99	DB	A view of the car wash parking lot after all of the containers and sampling equipment have been removed.
60	9/10/99	DB	Same as Photo 59.
61	9/10/99	DB	Foss Environmental transporting the paint-related waste off site.
62	9/10/99	DB	Overview of the self-service car wash facility at the end of the field event.

DB — David Byers
























































































































































PRINT 19 ROUL 81879733 21SEP99



SEATTLE FILMWORKS

PRINT 20 ROLL 81879733 21SEP99

### ATTACHMENT B

CONTAINER INVENTORY

### Shades of Seattle - Mill Creek Site Container Inventory September 10, 1999

Container Number	Container Size	Estimated Percent Full	Volume (gallons)	Sample Number
1	5	95	4.8	1
2	2.5	90	2.3	2
3	5	95	4.8	3
4	5	95	4.8	4
5	5	100	5.0	5
6	5	95	4.8	6
7	5	95	4.8	7
8	5 5	95	4.8	8
9	5	90	4.5	9
10	5	90	4.5	10
11	2.5	75	1.9	
12	2.5	50	1.3	
13	2.5	25	0.6	
14	2.5	50	1.3	
15	5	100	5.0	
16	5	25	1.3	
17	5	100	5.0	
18	5	12.5	0.6	
19	5	100	5.0	
20	5	50	2.5	
21	5	100	5.0	
22	5	100	5.0	
23	5	12.5	0.6	
24	5	50	2.5	
25	5 5 5	100	5.0	
26	5	100	5.0	
27	5	100	5.0	
28	5	100	5.0	
29	5	100	5.0	
30	5	75	3.8	
31	5	100	5.0	
32	5	75	3.8	
33	5	100	5.0	
34	5	100	5.0	
35	5	100	5.0	
36	5	100	5.0	
37	5	100	5.0	
38	5 5 5 5 5 5 5 5 5	100	5.0	
39	5	100	5.0	
40	5	100	5.0	
41	5	25	1.3	
42	5	100	5.0	

### Shades of Seattle - Mill Creek Site **Container Inventory** September 10, 1999

Container Number	Container Size	Estimated Percent Full	Volume (gallons)	Sample Number
43	5	100	5.0	
44	5	100	5.0	
45	5	25	1.3	
46	5	50	2.5	
47	5	50	2.5	
48	5	25	1.3	
49	5	50	2.5	
50	5	100	5.0	
51	5	100	5.0	
52	5	100	5.0	
53	5	100	5.0	
54	5	100	5.0	
55	. 5	100	5.0	
56	5	100	5.0	
57	5	25	1.3	
58	5	75	3.8	
59	5	75	3.8	plastic bucket
60	5	12.5	0.6	plastic bucket
		Total Volume	230.4	

## ATTACHMENT C PENSKY-MARTENS FLASHPOINT ANALYSIS MEMORANDUM

### **MEMORANDUM**

Date: October 1, 1999

To: Jeff Rodin, On-Scene Coordinator, U.S. Environmental Protection Agency

From: David Byers, Chemist, CHMM, Ecology and Environment, Inc.

Subj: Pensky-Martens Flash Point Analysis

Ref: TDD: 99-09-0007, Shades of Seattle, Mill Creek Dump Site, Bothell-Everett Hwy.

On September 14, 1999, I performed Pensky-Martens Closed Cup flash point analysis on 10 liquid samples following ASTM method D-93 (96), Procedure A, *manual apparatus*. Descriptions of the samples and their flash points are given below. All samples were collected on September 10, 1999 under the direction of OSC Michael Szerlog.

Sample Number	Sample Description	Flash** Point °F
1	Cloudy white liquid	<58
2	Cloudy white liquid	112
3	Gray cloudy liquid	<62
4	Tan, varnish-like liquid	<60
5	Blue cloudy liquid	<58
6	Tan clear liquid with solids at bottom	<58
7	Purple cloudy liquid	<56
8	Creamy tan liquid	<56
9	Greenish-gray creamy liquid	<56
10	Varnish (tan)-colored clear liquid	68

<sup>\*\*</sup>A "<" symbol prior to the flash point indicates that the sample flashed violently at the ambient temperature. The actual flash point is much lower than the ambient temperature listed.

The Flash Point temperatures have been corrected for barometric pressure per ASTM D-93 section 13.

### ATTACHMENT D

UNIFORM HAZARDOUS WASTE MANIFESTS

Please Comments	se print or type:	g,	maci Telephoni									
	UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA		Manifes Document	No.	2. Pag of	e 1 Information not required	No. and was		eas is		
A	Generator's Name and Mailing Address	10 00		3	CORPORT TARREST	A. Stat	te Manifest Docume	nt Numbe	er	52.53		
	US EPA REGION 10 1200 GTH AVE, ECL-116 1200 GTH AVE, ECL-116						B. State Generator's ID					
	4. Generator's Phone ( 206) 553	,	C. State Transporter's ID									
	5. Transporter 1 Company Name FOSS ENVIRONMENTA	D. Transporter's Phone (206) 765-1434										
	7. Transporter 2 Company Name	E. State Transporter's ID										
		. [	F. Transporter's Phone									
	9. Designated Facility Name and Site Address 10. US EPA ID Number G. State Facility's ID									Eno HAR		
	PHILIP ENVIRONMENTAL 77 TH AVENUE SOUTH				-	U For	cility's Phone					
	KENT, WA 9803Z	linds	AD9912	417		п. гас	(253) 87	2-7	850	1 ordinates		
	11. US DOT Description (Including Proper Shipping			Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is	Contai	ners	13.	14.				
	Інмі			N	No.	Туре	Total Quantity	Unit Wt/Vol	Wa	I. ste No.		
	a. WASTE FLAMMABLE UN1993, PGIL	LIQUIDS,	1.0.5.	3,			01600	,	FOX	3		
				0	0.2	DM	1.60 44	P	Fo	)5		
G	D. WASTE FLAMMABLE	HQUIDS, I	1.0.5, 3	,		M			DOC			
GEZE	UN1993, PGIL			0	1.1	DM	102200		F005			
R	c.			U	10		0 2200	•	1 0			
ATO	C.			12.00				W. C. S.				
R							Arch he re		No.			
	d.			1.						or II-latel		
				alifornia de la compansa de la comp	4.00					ed vracing esterniste		
	J. Additional Descriptions for Materials Listed Above	a ili agratika Elik Pika	Halles			K. Han	ndling Codes for Was	stes Liste	ed Above	e garage of		
	114) DOOI, FOOS, PROFILE	* 40430 <del>-0</del>	30.00									
	J. Additional Descriptions for Materials Listed Above 11 (a) \$2001, F003, PROFILE 11 (b) \$2001, F003, F005, PROFILE	FILE # 4043	30-14-00	,LABP	ACK							
	2006 Martin (1920) (1920) Martin (1920) Mart						TO THE RESERVE					
	15. Special Handling Instructions and Additional Info	ormation			This							
	16. GENERATOR'S CERTIFICATION: I hereby declar	are that the contents of this	consignment are fully	and accurate	ely descri	ibed at	pove by proper shippi	ing name	and are	classified,		
	packed, marked, and labeled, and are in all respect	s in proper condition for tran	sport by highway accor	ding to applica	able inter	nationa	al and national govern	mental re	gulations	3.		
	If I am a large quantity generator, I certify that I ha practicable and that I have selected the practicable and the environment; <b>OR</b> , if I am a small quantity of	method of treatment, storag	e, or disposal currently	available to r	me which	minim	ized the present and	future thre	eat to hu	man health		
	available to me and that I can afford.  Printed/Typed Name		Signature		: 4	1		'Mo	onth D	ay Year		
A	Michael Szock	1 <b>a</b> -	111	al f	7	d		6	91	0 99		
TR	17. Transporter 1 Acknowledgement of Receipt of N	Materials		. / /	0.1	V	1			1 1		
TRANSPORTER	Printed/Typed Name		Signature	6/11	#A		/	M	onth D	ay Year		
8 MARY Acknowledgement of Receipt of Materials  18. Transporter 2 Acknowledgement of Receipt of Materials							14	1499				
Ř	Printed/Typed Name		Signature		Name of the last o			M	onth D	ay Year		
ER												
	19. Discrepancy Indication Space											
F												
ACI												
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.												
† Y								T ,				
	Printed/Typed Name		Signature					M	onth [	ay Year		

Ploa	to part drives	Emergency	y Contact Telephor	ne Number						
Los	UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US	S EPA ID No.  RECEVED	Manifest Document 1	2. Pag	ge 1 Information not require		haded areas is deral law.		
<b>A</b>	3. Generator's Name and Mailing Address USEPA REGION 1200 GTH AVE, ECL-11	ACE VEB	0020			A. State Manifest Document Number     B. State Generator's ID				
	4. Generator's Phone (206) 553.  5. Transporter 1 Company Name	1263	6. US EPA ID I	Number	C. Str	C. State Transporter's ID				
	FOSS ENVIRONMENTA	_	WAH .00.00	0.4.54	1.9 D. Tra	D. Transporter's Phone (206) 768-1434				
	7. Transporter 2 Company Name		8. US EPA ID	Number		E. State Transporter's ID     F. Transporter's Phone				
	9. Designated Facility Name and Site Address PHILIP ENVIRONMENTAL 77TH AVENUE SOUTH	1989	10. US EPA ID	Number		ate Facility's ID				
	KENT, WA 98032	11 10	W.A.D.9.9.1.			(253) 8		7859		
	11. US DOT Description (Including Proper Shipping			N	Containers  Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.		
	a WASTE FLAMMABLE UN1993, PGIL	LIQUIDS	, n.o.s.,		5-ZID-M	01600	8 P	F003 F005		
GENERAT	UN1993, PGII	= 40005, N.O. S, 3,			05	100	P	D00   F003 F005		
R A T O R	· WASTE TIAM		- 4 16071031		21 CU	.2.0.0.	P	D001 F003 F003		
	d.		14. ALRS		. K Ha	ndling Codes for W	astes List	led Above		
	J. Additional Descriptions for Materials Listed Above 11 a) DOO1, FOO3, PROFILE 11 b) DOO1, FOO3 FCO5, PRO 11 c) PROFILE 15. Special Handling Instructions and Additional Info	PACK	CK BADER 16040							
	16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental re If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future three and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste manager available to me and that I can afford.									
¥	Printed/Typed Name Michael Szerla		Signature	Tidul	18	zuly	1	Month Day Year 7.9 10 9.9		
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name  MARK AUEN GREGORY  18. Transporter 2 Acknowledgement of Receipt of Materials							Month Day Year 791099		
KTER	Printed/Typed Name		Signature					Month Day Year		
FACI	PER MARK FOSTER, OF	NTS: 116 U BEHALF		or R	240%	m. MAN 9/14/99	IFEST	RAMENDE		
LIT	20. Facility Owner or Operator: Certification of rece	ipt of hazardous ma	aterials covered by this ma	nifest except as	noted in Iter	m 19.				
Y	Printed/Typed Name Michael C. Austin		Signature	Dec	unst	_	1	Month Day Year		